



POWER HARROW

DYNA SERIES

SALIENT FEATURES

- High Tensile Steel Trough
- Trouble Free Operation Without Damages
- High Quality Boron Steel Tines
- Ideal Machine to Work in Vine Fields












POWER HARROW DYNA SERIES

The Worldtrac Dyna Series Power Harrow is medium series Power Harrow designed for 45-120HP range of tractors. It is suitable for semi-professional and professional applications. The high tensile steel trough increase the strength of machine and ensures trouble free operation without damages. The sophisticated design of machine with high quality Boron steel tines makes it best choice for working providing optimum tilth. The availability of small sizes of machine makes it an ideal machine to work in vine fields also.

The options of Packer Roller & Cage Roller to provide required levelling in all soil types makes it a versatile machine for all soil types.

TECHNICAL SPECIFICATIONS

 Model	WT-DPWH-125	WT-DPWH-150	WT-DPWH-175	WT-DPWH-200	WT-DPWH-225	WT-DPWH-250	WT-DPWH-275	WT-DPWH-300
 Working Width (mm)	1220	1455	1690	1925	2160	2395	2630	2865
 Overall Width (mm)	1365	1600	1835	2070	2305	2540	2775	3010
 Overall Height (mm)	1285							
 Overall Length (mm)	850							
 Tractor Power (HP)	45-120	50-120	55-120	60-120	65-120	70-120	75-120	80-120
Working Depth (mm)	250							
Number of Tines	10	12	14	16	18	20	22	24
 Weight (kg)	450	500	540	585	635	680	725	767



Sturdy Ball Bearings
to work under high working loads



Efficient Stone guards to avoid
damaging of trough and blades



Superior spring loaded side deflectors
to follow variable working depths



Adjustable Square levelling bar to
adapt soil forces at variable depths



Bolted Frame design




Boron steel high quality blades
to work efficiently in hard ground




Heavy Duty Hitch Pyramid



Highly engineered rugged gearbox
to work efficiently in tough
soil conditions



**Optimum clearance between
Rotor bearings** for more stability



Powerful and rigid trough to ensure
best performance in soil types




OPTIONAL ROLLERS TO INCREASE VERSATILITY


The rear roller ensures proper soil consolidation and maintenance of working depth after harrowing. Worldtrac Power Harrow comes with options of Cage Roller & Packer Roller for effective seed bed preparation.



CAGE ROLLER


Cage Roller is used in dry soil & medium types with less moisture content. It is built to provide superior seedbed preparation with less power requirement.

CAGE ROLLER								
 Model	WT-DPWH-125	WT-DPWH-150	WT-DPWH-175	WT-DPWH-200	WT-DPWH-225	WT-DPWH-250	WT-DPWH-275	WT-DPWH-300
Diameter (mm)	420							
Weight (kg)	134	144	156	168	180	198	210	228



PACKER ROLLER

Packer Roller is a perfect choice for almost all soil types. It works perfectly even in clayey soils with more moisture content and hence is a very versatile tool.

PACKER ROLLER								
 Model	WT-DPWH-125	WT-DPWH-150	WT-DPWH-175	WT-DPWH-200	WT-DPWH-225	WT-DPWH-250	WT-DPWH-275	WT-DPWH-300
Diameter (mm)	480							
Weight (kg)	190	215	240	265	287	315	345	368



INTERNATIONAL BUSINESS OFFICE

Teri School of Advanced Studies, Plot No.10, Institutional Area, Vasant Kunj, New Delhi-110070 (India) | Phone: +91 11 66 45 5200
Work: Jalandhar Road, Hoshiarpur - 146022, Punjab (India) | Phone: +91-01882-522220/ 522221 | Fax: +91- 01882-522222
URL: www.worldtrac.in